## **Receiving Report**

	vate: $\frac{500}{000}$	J8		Batch No: Dart P/O:	132	169 213.		
Packing Slip: Invoice: Receipt: New Supplier Discrepancies			Waybill At Shipment QC18 Ins Work Ord	Complete: pection er	Yes Yes	No	N/A N/A N/A	
Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number	
	1 .	1	1			1	***	
					<i>3</i>			
			<u> </u>	Initials of	Receiver	QC12		

H:\FORMS\Purchasing\approved purch\RECREPORT Rev F



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### **PURCHASE ORDER**

Purchase Order ID PO27013

Purchase Order Date 1/12/2015 PO Print Date 1/16/2015

Page Number 1 of 6

Order From:

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85297 US

VU-COR001

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

**Contact Name** 

Vendor Phone

**Ship To Contact** 

**Ship To Phone** Ship Via:

Ship Acct:

480 497 6136

Buyer

Chantal Lavoie

FedEx Overnight collect

**Customer POID** 

Customer Tax # Terms

10127-2607 Net 10

Currency

USD

**FOB** 

FCA - (Free Carrier)

501504-J8

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure		PO Unit Price	Extended Price
1	AN3C36A	Bolt	4/23/2015 Yes 4/23/2015	FN	80.00 Each	/	\$10.00	\$800.00
							Line Total:	\$800.00
2	AN3C37A :	BOLT	4/23/2015 Yes 4/23/2015		70.00 Each	/	\$6.00	\$420.00 2
							Line Total:	\$420.00
3	AN3C41A	Boit	4/23/2015 Yes 4/23/2015	FN	75.00 Each	/	\$14.50	\$1,087.50

PO Instructions: Fedex Acc#151793240

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### **PURCHASE ORDER**

#### - Purchase Order ID PO27013

Purchase Order Date 1/12/2015 PO Print Date 1/16/2015

Page Number 2 of 6

Order From:

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85297 US VU-COR001

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

Contact Name			Buyer		Chantal L	avoie		
Vendor Phone	480 497 6136		Customer P	OID				
Ship To Contact			Customer T Terms Currency	`ax#	10127-26 Net 10 USD	07		
Ship To Phone Ship Via: Ship Acct:	FedEx Overnight collect		FOB			ree Carrier)		
1						Line Total:		\$1,087.50
4 AN3C42A	Bolt	4/23/2015 Yes 4/23/2015		10.00 L			\$9.50	\$95.00 /
					/	Line Total:		\$95.00
5 AN3C46A	Bolt	4/23/2015 Yes 4/23/2015	FN	70.00 Each			\$10.00	\$700.00 🗸
/						Line Total:		\$700.00

4/23/2015 FN Yes

4/23/2015

Each

Line Total:

015-04-28

\$17.00

\$408.00

\$408.00 /

PO Instructions: Fedex Acc#151793240

Bolt

Note:

AN3C50A



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### **PURCHASE ORDER**

#### Purchase Order ID PO27013

Purchase Order Date 1/12/2015 PO Print Date 1/16/2015

Page Number 4 of 6

Order From:

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85297 US VU-COR001

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

**Contact Name** 

Vendor Phone

480 497 6136

Buyer Customer POID Chantal Lavoie

**Ship To Contact** 

Ship To Phone Ship Via:

Ship Acct:

FedEx Overnight collect

Customer Tax #

10127-2607

Terms Currency Net 10 USD

FOB

FCA - (Free Carrier)

, Janocia

Bolt

4/23/2015 FN

7.00 🗸

\$15.00

\$105.00

\$702.00

Yes 4/23/2015

Each -

Line Total:

Line Total:

\$105.00

12 AN8C21A

Bolt

4/23/2015 FN Yes

4/23/2015

30.00 Each \$13.50

\$405.00 /

13 AN8C35A

Bolt

4/23/2015 FN

2015 FN Yes 15.00 Each

\$26.00

\$390.00

\$405.00

4/23/2015

Line Total:

Line Total:

\$390.00

PO Instructions: Fedex Acc#151793240

Note:

## C.O.R.E. Aviation Services, Inc.

16305 E. TWIN ACRES DRIVE **GILBERT, AZ 85298** 

USA

Ph: 480-497-6136Fax: 480-497-3568 EMail: sales@coreaviation.com

Bill To:

Dart Aerospace Ltd. 1270 Aberdeen St.

Hawkesbury, ON K6A 1K7

Canada

Ship To:

Dart Aerospace Ltd. 1270 Aberdeen St.

Hawkesbury, ON K6A 1K7

Canada

Sales Order : 27013

Ship Account: 151793240

**AWB** 

: 773451302144

Resale

: Not On File

**Packing List** 

Ship Doc : CA150424-1

: 1 of 2

Printed : 04/24/2015

No. Items: 16

Page

Order Date : 01/19/2015

Customer#

: DALD

Buver

**Ship Date** 

: 04/24/2015

Terms

: N 10

Contact

: 613-632-9577

Ship Via

: FEDEX

Sales Person: KAIZER HUSEIN FOB

: GILBERT, AZ

Weight No. Boxes

							imenוע	sions :	
em	Part Number/Description		CD	Location	UM	Ord	B/O	Shipped	Cust. PO#
1	AN3C36A NSN:5306-01-020-9473	BOLT	NE	HC202	EA	80 /	0	80	27013
2	AN3C37A	BOLT	NE	HC202	EA	70 /	0	70	27013
3	AN3C41A	BOLT	NE	HC202	EA	75 /	0	75	27013
4	AN3C42A	BOLT	NE	HC202	EA	10	0	10	27013
5	AN3C46A	BOLT	NE	HC202	EA	70	0	70	27013
6	AN3C50A NSN:5306-00-582-9889	BOLT	NE	HC202	EA	24 /	0	24	27013
7 ,	AN4C46A NSN:5306-00-702-6010	BOLT	NE	HC202	EA	70	0	70	27013
8 /	AN4C52A NSN:5306-00-197-6277	BOLT	NE	HC202	EA	15	0	15	27013
9 /	AN5C34A	BOLT	NE	HC202	EA	8/	0	8	27013
10	AN6C44A NSN:5306-00-275-9647	BOLT	NE	DART	EA	52/	0	52	27013
11	AN8C16 B NSN:5306-00-180-2749	OLT MACHINE	NE	HC202	EA	7/	0	7	27013

Printed by ARMS © Internet Business Applications www.IBApps.com (858)674-7516 **TERMS AND CONDITIONS OF SALE** 

MATERIALS ON THIS ORDER CONFORM TO SPECIFICATIONS AS LISTED ON YOUR PO/RO. MATERIAL IS SUBJECT TO YOUR INSPECTION

OUR TERMS ARE AS PER OUR MUTUAL LETTERS OF AGREEMENT.

OVERDUE INVOICES WILL BE SUBJECT TO 1.5% INTEREST ON OVERDUE AMOUNTS.

NO RETURN OR REFUNDS AFTER 10 DAYS FROM INVOICE DATE.

DAMAGE OR SHORTAGE CLAIMS MUST BE MADE WITHIN 10 DAYS OF INVOICE DATE. NO RETURNS ALLOWED WITHOUT PRIOR APPROVAL. RETURNED GOODS COULD BE SUBJECT TO A RESTOCK CHARGE.

\*\*\*\*\*\*\*\*\*\*

**COUNTRY OF ORIGIN OF GOODS: USA** 

**TYPE OF GOODS** HARMONIZED CODE : AIRCRAFT PARTS

\*\*\*\*\*\*\*\*

: 8803-20-0050

South

C.O.R.E. Aviation Services, Inc.

16305 E. TWIN ACRES DRIVE **GILBERT, AZ 85298** 

**USA** 

Ph: 480-497-6136Fax: 480-497-3568DUPLICATE

EMail: sales@coreaviation.com

Invoice

: CA150424-1 Invoice

Date -: 04/24/2015-

No. Items: 16 : 1 of 2

Page

To:

Dart Aerospace Ltd. 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Canada

Ship To:

Dart Aerospace Ltd. 1270 Aberdeen St.

Hawkesbury, ON K6A 1K7

Canada

Sales Order: 27013

**AWB** 

: 773451302144

Resale

: Not On File

Your Order#: 27013

Customer#

: DALD

Buyer Contact

: 613-632-9577

Order Date : 01/19/2015 Ship Date

: 04/24/2015

Terms

: N 10 Sales Person: KAIZER HUSEIN

Weight

Ship Via

: FEDEX

FOB

: GILBERT, AZ

No. Boxes

Dimensions

						Dimension	5 .	
ltem	Part Number/Description		Shipped	BackOrd	CD	Unit Price		Total Amt
1	AN3C36A NSN: 5306-01-020-9473	BOLT	80	/ 0	NE	\$10.00	EA	\$800.00
2	AN3C37A	BOLT	70	0	NE	\$6.00	EA	\$420.00
3	AN3C41A	BOLT	75	0	NE	\$14.50	EA	\$1,087.50
4	AN3C42A	BOLT	10	0	NE	\$9.50	ĘΑ	\$95.00
5	/AN3C46A	BOLT	70	0	NE	\$10.00	EA	\$700.00
6	AN3C50A NSN: 5306-00-582-9889	BOLT	24	0	NE	\$17.00	EA	\$408.00
7	AN4C46A NSN: 5306-00-702-6010	BOLT	70	0	NE	\$19.00	EA	\$1,330.00
8	AN4C52A NSN: 5306-00-197-6277	BOLT	15 /	0	NE	\$20.00	EA	\$300.00
9 /	AN5C34A	BOLT	8 /	0	NE	\$23.00	EA	\$184.00
10	AN6C44A NSN: 5306-00-275-9647	BOLT	52 /	0	NE	\$13.50	EA	\$702.00
11	AN8C16 NSN: 5306-00-180-2749	BOLT MACHINE	7	0	NE	\$15.00	EA	\$105.00

TERMS AND CONDITIONS OF SALE

MATERIALS ON THIS ORDER CONFORM TO SPECIFICATIONS AS LISTED ON YOUR PO/RO. MATERIAL IS SUBJECT TO YOUR INSPECTION

OUR TERMS ARE AS PER OUR MUTUAL LETTERS OF AGREEMENT.

OVERDUE INVOICES WILL BE SUBJECT TO 1.5% INTEREST ON OVERDUE AMOUNTS.

NO RETURN OR REFUNDS AFTER 10 DAYS FROM INVOICE DATE.


DAMAGE OR SHORTAGE CLAIMS MUST BE MADE WITHIN 10 DAYS OF INVOICE DATE. NO RETURNS ALLOWED WITHOUT PRIOR APPROVAL, RETURNED GOODS COULD BE SUBJECT TO A RESTOCK CHARGE.

\*\*\*\*\*\*\*\*\*\*\*\*

**COUNTRY OF ORIGIN OF GOODS: USA** 

: AIRCRAFT PARTS TYPE OF GOODS

HARMONIZED CODE \*\*\*\*\*\*\*\*\*\*\*\*\* : 8803-20-0050



C.O.R.E. Aviation Services, Inc.

16305 E. TWIN ACRES DRIVE **GILBERT, AZ 85298** 

USA

Ph: 480-497-6136Fax: 480-497-3568 DUPLICATE EMail: sales@coreaviation.com

Invoice

: CA150424-1 Invoice

Date - : 04/24/2015-

No. Items: 16

Page : 2 of 2

Item	Part Number/Description	<u> </u>	Shipped	BackOrd	CD	Unit Price		Total Amt
	AN8C21A NSN: 5306-00-579-3481	BOLT	30		NE		EA	\$405.00
13	AN8C35A NSN: 5306-00-855-7396	BOLT	15	0	NE	\$26.00	EA	\$390.00
14	MS20601AD4W10	BLIND RIVET	50	<b>0</b>	NE	\$5.00	ΕA	\$250.00
15	MS21920-25	CLAMP	40	0	NĘ	\$22.50	EA	\$900.00
16	MS21920-28	CLAMP	38	0	NE	\$22.50	ĘA	\$855.00
						GR 15		U-38

Printed by ARMS © Internet Business Applications www.IBApps.com (858)674-7516

Sub Total	:	\$8,931.50
Tax Total	:	
S + H	:	\$0.00
Balance	•	\$8,931.50
	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	

## CERTIFICATE OF CONFORMANCE C.O.R.E. Aviation Services, Inc.

16305 E. TWIN ACRES DRIVE, GILBERT, AZ 85298, USA Phone: 480-497-6136 Fax: 480-497-3568 FAA Sta. #: Web:

Invoice : CA Date : 04

: CA150424-1 : 04/24/2015

PO

: 27013

Issued By: KAIZER HUSEIN

Page

: 1 of 2

THIS IS TO CERTIFY THAT ALL GOODS ON C.O.R.E. INVOICE WERE SHIPPED IN ACCORDANCE WITH THE PART SPECIFICATIONS ON CUSTOMERS PO & TO THE BEST OF OUR KNOWLEDGE AND BELIEF, MEET THOSE STANDARDS.

ITEM(S) WERE DETERMINED TO BE IN STATED CONDITION BY VISUAL CONDITION AND OR IN ACCORDANCE WITH RECEIVING RECORDS.

ALL DETAILED RECORDS ARE KEPT ON FILE AT C.O.R.E. AVIATION SERVICES FOR ANY FUTURE CUSTOMER INSPECTION.

Item	Part Number/Description		Shipped	CD
1	AN3C36A Lot:15493	BOLT	80	NE
2	AN3C37A Lot:15975	BOLT	70	NE
3	AN3C41A Lot:15843	BOLT	75	NE
4	AN3C42A Lot:COR005-02-27-17625-1	BOLT	10	NE
5	AN3C46A Lot:16290;326327	BOLT	70	NE
6	AN3C50A Lot:15896	BOLT	24	NE
7	AN4C46A Lot:15492;15603	BOLT	70	NE
8	AN4C52A Lot:15663	BOLT	15	NE
9	AN5C34A Lot:17481	BOLT	8	NE
10	AN6C44A Lot:327056	BOLT	52	NE
11	AN8C16 Lot:COR005-10-23-51239-1	BOLT MACHINE	7	NE

## CERTIFICATE OF CONFORMANCE C.O.R.E. Aviation Services, Inc.

16305 E. TWIN ACRES DRIVE, GILBERT, AZ 85298, USA Phone: 480-497-6136 Fax: 480-497-3568 FAA Sta. #: Web:

Invoice : CA150424-1 Date : 04/24/2015

PO : 27013

Issued By: KAIZER HUSEIN

Page : 2 of 2

Item	Part Number/Description		Shipped	CD
12	AN8C21A Lot:29420;15494	BOLT	30	NE
13	AN8C35A Lot:15838	BOLT	15	NE
14	MS20601AD4W10 Lot:86164740	BLIND RIVET	50	NE
15	MS21920-25 ALTERNATE:MS21920-25 Lot:175634	CLAMP (QTY:40)	40	NE
16	MS21920-28 Lot:173427/A Cert#:PL-42 8803(38)	CLAMP	38	NE

BUTLER, INC. 1600 W. 166th STREET GARDENA, CA 90247

Packing List

Customer No.: C.O.R.E

Ship To: CORE AVIATION SERVICES, INC.

16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Bill To: CORE AVIATION SERVICES, INC.

16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Date		Ship	Via	F.Q.B.		Terms
11/11/13		UPS	COL	Origin	-	
Purchase Or	der Number	1	Order Date	Sales Person		Our Order Number
STK12	1030-3		11/02/12	ມລາກກະກະທານເປັນການເປັນເ <mark>ປັນທິດສານເປັນການເປັນ</mark> ເປັນການເປັນການສະຫານ ເປັນການສະຫານ ເປັນການສະຫານ ເປັນການສະຫານ ເປັນການສະ ການການການສະຫານ ການການສະຫານ ການການສະຫານ ການການສະຫານ ການການສະຫານ ການການສະຫານ ການການສະຫານ ການການສະຫານ ການການສະຫານ		15842
Quantity		1/5.4	lines Newsland	6		Carial Number
Req Shipped	В.О.	J/M	Item Number	D	escription	Serial Number
500 500	е	ach	AN3C46A	LOT TOTAL	190	



1600 West 166th Street (310) 323-3114

FAX (310) 324-0914





1600 W. 166th STREET **GARDENA, CALIFORNIA 90247** (310) 323-3114 / FAX (310) 324-0914



**CAGE # 59053** 

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85298

#### CERTIFICATE OF COMPLIANCE

BUYER ORDER NO.: STK121030-3

ITEM: 2

NSN#:

NA

PART NUMBER: AN3C46A

REV: 2

DESCRIPTION: BOLT, HEX HEAD, .1900-32 x 4.781, 431, PASSIVATE

SPECIFICATIONS: NASM6812-3, ASTM A 493-09, AMS2759E, AMS2700E

QUANTITY: 500

LOT #: 16290

HEAT #: G20114

BUTLER INC. HEREBY CERTIFIES THAT THIS LOT HAS BEEN PRODUCED, SAMPLED, INSPECTED, TESTED, MARKED AND PACKAGED IN ACCORDANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS. FURTHERMORE, BUTLER INC. CERTIFIES THAT DOCUMENTED EVIDENCE OF COMPLIANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS APPLICABLE TO THIS LOT IS ON FILE AT OUR PLANT IN THE FORM OF MECHANICAL, METALLURGICAL AND/OR CHEMICAL TEST REPORTS AND INSPECTION RECORDS, AND IS AVAILABLE FOR BUYERS REVIEW.

DATE OF EXECUTION:

11/11/13

SIGNATURE:

TOD F. POLIDORI

TITLE:

O.A. MANAGER

Form #BIC015 Rev 11/97

Order No:

3578655 12:07:47

Time



FRY STEEL COMPANY
Registered ISO 9001
13325 MOLETTE ST.
SANTA FE SPRINGS, CA 90670
(562) 802-2721

B04163 Cust. NO.: 24619

P.O. NO.:

## CERTIFICATE OF COMPLIANCE

BUTLER INC \*\*\*
1600 W 166TH ST

\*\* MAIL OUT INVOICES \*\*
GARDENA CA 90247-4704

ROOKE MFG 3360 W HARVARD ST

SANTA ANA CA 92704-3920

04/15/13

QTY -- DESCRIPTION--

-- ITEM CODE--

--HEAT NUMBER--

CD 431 ANN AMS 5628 GREEN/YELLOW

50 BARS 1/4"RD 12'RL

4200

G20114

REVIEWED BY: 5-13-13

#### NOTICE

A COPY OF THE ORIGINAL MILL CERTIFICATION IS ATTACHED\*

CHEMICALS & PHYSICALS ARE REPORTED THAT WILL MEET THE SPECIFICATIONS SHOWN ON THE CERTIFICATE. EXCEPTIONS TO SPECIFICATIONS SHOULD BE SHOWN ON THE CERTIFICATION.

AUTOMATIC EXCEPTIONS TO THE SPECS LISTED ARE: LINE MARKING AND INSPECTION(I.E. MAG., SONIC,ETC.)

WE SUGGEST CONSULTING AN EXPERT ABOUT RELATED INSPECTION, PRIOR TO ALTERING THE MATERIAL FROM THE AS SHIPPED/RECEIVED CONDITION. "DEFECT FREE" MATERIAL CAN NOT BE GUARANTEED WITHOUT PRIOR INSPECTION APPROPRIATE TO APPLICATION.

NO WELD REPAIR HAS BEEN PERFORMED AND THIS MATERIAL IS FREE FROM MERCURY AND RADIUM CONTAMINATION AT TIME OF SHIPMENT

The willful recording of false, fictitious or fraudulent statements on this document may result as a felony under federal statutes.

\*WHEN APPLICABLE

-- TO THE BEST OF OUR KNOWLEDGE MATERIAL IS CONFLICT MINERAL FREE --

CHIP SANDOVAL - Q.C. MANAGER



Dunkirk Specially Steel, LLC A Universal Stainless & Alloy Products Company P.O. Box 319 830 Brigham Rd. Dunkirk, NY 14048

Quality System Registered to ISO9001 and AS9100

14:02

#### **Material Certification**

			March	ai cei		l .		
	8498			<del></del>			PAGE NUMBER:	1 of 1
PART NUMBER: \$#4 P.O. NUMBER: 473	200 11-17		P.O.	DATE:	11/7/2012	•	PRINTED:	2/18/13
7			•					
S FRY STEEL	COMPANY		s	FF	Y STEEL CO	-		······································
O T P.O. BOX			H			REIGHT TRAN	S	
$\mathcal{S}_{r}$ $\circ$			. I	0 42	01 WEST 363	rh st		
G D	anninca as aa	£20 .	P					•
SANTA FE	SPRINGS, CA 90		•	· CH	ICAGO, IL 6	50623	•	
	S-18732B, AMS 5	628F, McDo	nnell Dougla	s DMS-1	565G (excep	t sonic), I	ND AMS 2303F, ASTM . Hi Shear #115J (Type A276-10 (431),	
Size: .2500 DIAM X	132.0000 MIN/		156.0000	MAX	RANDOM LENG	TH	•	
Heat Number	c	0.14	MN 0.59	SI	0.36	s 0.002	P 0.018	
G20114 FNL	W% CR	16.38	₩ <0.05	v	0.06	NI 2.26	MO 0.13	
• ,		<0.05	CU 0.13	1 .	0.007	PB	CB 0.03	
	TA O		AL <0.01 MG	CA	<0.01	FE SE	B ZR	
•	AG		BI	N	0.051	H	CQ	
						<del></del>	- <b>-</b>	
				1			•	
HARDNESS (AS SHIIPE	): 258 BKN		······································			<del></del>		
TENSILE CAPABILITY:	1875F/1HR/0	, Mai 1759/38	P/AC			•		
	10/31/1120	T/S KSI		KSI	%EL			•
		152.0	112	.1	19.0			
PRINCIPA CARARTITMY.	10759/199/0	. 1005/5	· · · · · · · · · · · · · · · · · · ·		. EEOm/Orm /			
TENSILE CAPABILITY:	1875F/1HR/O	T/S KSI		KSI	* 550#/ZRR/. *EL	ac %r/a		
		214.6	156		15.0	56.0		•
				į				
ARDENABILITY : Rc 4					•	*		
MICRO TEST: ACCEPTAB MACRO ETCH TEST: ACC								
GRATN SIZE: 8.5	ae iribus	•						
ERRITE: <4%	•		*				·	
ACNETIC PARTICLE F							•	
CNOWINGLY RECORDING OR ENTRIES ON THIS D TEDERAL STATUTES INC	OCUMENT MAY BE	PUNISHED A	S A FELONY	UNDER	•	A TRUE CO	EL CO. CERTIFIES THAT DPY OF THE ORIGINAL REPORT NOW ON FILE	T THIS IS MILL TEST
# 4200						RE	CEIVED AND INSPECTE	D
ELT SOURCE: UNIT REMICAL BALANCE IS I	versal/dunkirk Fe						per pa	
ATERIAL MELTED IN TO ATTERIAL MANUFACTURES	HE USA BY UNIV	RSAL STAIN	LESS & ALLO	PRODUC	TS, BRIDGE	/ILLE, PA	FEB 2 5 2013	•
			•				111111	
REVIEWE	D BY:				•	₽¥	Coffee March	•
		- 12				BHP B	ANDOVAL : O.B. MANAGE	
7	DATE: 5-13	-12						•
Ų					-			
				_		<b>5</b>		

/S/John M. Berry

/S/John M. Berry

John M. Berry, QA Technician

RAW MAT'L USED FOR LOT # 1629 0

Date

02/18/13

Prepared by: John M. Berry, QA John J

Malted and manufactured in commitment with DEARS 200.205-7014 ALT 1. Melted by USAP in Bridgeville, PA., USA. Certification IAW DIN 50 049 / EN 10204 3.1. Material compiles with RU directive 2002/95/EC (RoH5). The test results shown are certified to be a correct statement or records that were certified and results samples of the instantal. Results free applicable applications. No weighing was performed on the material supplied on this order. Material is free from mercury contamination. Material is of NAFTA origin. This material was produced under the Dunkirk Specialty Steel Quality Management System documented in QP Manual, Rev. 6 dated 1/5/2012, conforming to NCA-3800. Material testing was performed as applicable in accordance with ASTM A370, A604, E8, E10, E18, E23, E44, F110 PT TO PT



Contact: Tod Polidori Butler, Inc. 1600 West 166th Street GARDENA, CA 90247

Element Materials Technology 15062 Bolsa Chica Huntington Beach, CA 92649-1023 USA

P 714 892 1961 F 714 892 8159 T 888 786 7555 info.hb@element.com element.com

TEST CERTIFICATE — EAR-CONTROLLED DATA

8/21/2013

Purchase Order Number: 25536

Work Order Number

BUT004-08-16-41627-1

	LANGO COL DETVIO	
Part No.:	AN3C46A REV. 2	
Lot No.:	16290	
Heat No.:	G20114	
Material:	431	
Specification:	NASM 6812-3	

FASTENER EVALUATION - STAINLESS STEEL

ENER EVALUATION - STAINLESS STEEL					
5					
Vilella's					
Ambient					
100X/200X					
Vilella's					
Ambient					
20X					
Grain flow follows the contour of the head. (Acceptable)					
Grain flow follows the contour of the head to shank fillet. (Acceptable)					
Grain flow follows the contour of the threads. (Acceptable)					
The entire sample shows no evidence of cracks.					
No discontinuities / defects found.					
0.002"(Within limits)					
No discontinuities / defects found.					
No discontinuities / defects found.					
None					
ASTM 7.0					
No surface contamination (IGA) found.					
No surface contamination (IGA) found.					
Exhibits fine tempered martensite with no visible carbide precipitation in the grain boundaries.					
None except as created in cold working of fillet radius or rolling of threads.					

#### **MATERIAL CONFORMS TO SPECIFICATION**

This document contains technical data whose export and re-export/ retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval may be required for the export or re-export/retransfer of such technical data to any foreign person, foreign entity or foreign organization whether in the United States or abroad.

REVIEWED BY

Respectfully submitted

15062 Bolsa Chica, Huntington Beach, CA 92649 (714) 892-1961 ph • (714) 892-8159 fax www.element.com

Kelly Nguyen Senior Quality Administrator

The information contained in this certification represents only the material submitted and is certified only for the quantities tested. Reproduction except in full is reserved pending written approval. The recording of false, fictitious, or fraudulent statements or entries on the certificate may be punishable as a felony under federal law. All testing was performed in a mercury free environment. All testing performed in accordance with the latest edition of the applicable ASTM, or other Federal Test Method in effect at the time of test.

Page 1 of 1





1600 W. 166th STREET GARDENA, CALIFORNIA 90247 (310) 323-3114 / FAX (310) 324-0914



#### **CERTIFED TEST REPORT**

CAGE CODE: 59053

PART NO: AN3C46A REV: 2

LOT NO: 16290 HEAT NO: G20114

MAT'L: 431

PROCUREMENT SPEC: NASM6812 REV: 3

LOT SIZE: 668

TEST DATE: 08/23/13

**CERTIFICATION NO: 4776** 

Test type: Rock Results:		Test value: N/A		Test method:	Butler procedu	re no:	
1.	5.	9.	13.	17.	21.	25.	29.
2.	6.	10.	14.	18.	22.	26	30.
3.	7.	11.	15.	19.	23.	27.	31.
<b>4</b> .	8.	12.	16.	20.	24.	28.	32.
Technician:		Stamp:			٠		
Test type: Axial	tensile	Test value: 2210	lbs min	Test method: NASM1312-8	Butler procedur	e no: BIQOP 8.2.	4-5.4
1. 3491 lbs	5. 3485 lbs	9.	13.	17.	21.	25.	20
2. 3515 lbs	6.	10.	14.	18.	22.		29.
3. 3526 lbs	7.	11.	15.			26.	30.
4. 3438 lbs	7. 8.	11.		19		27.	31.
1. 3436 105	8.	12.	16.	20.	24.	28.	32.
Technician: Flavio		Stamp:					
Cest type: Double	shear	Test value: 4250	lbs min	Test method: NASM1312-13	Butler procedure	no: BIQOP 8.2.4	-5.5
. 6364 lbs	5. 6767 lbs	9.	13.	17.	21.	25.	. 29.
. 6445 lbs	6.	10.	14.	18.	22.	26.	30.
. 6808 lbs	7.	11:	15.	19.	23.	20. 27.	30. 31.
. 6831 lbs	8.	12.	16.	20.	24.	27. 28	31. 32.
echnician: Flavio	Ron	Stamp:	· 				
est type: Recess Deformation allowatesults:	torque	Test value: N/A Installation:		Test method: Removal:	Butler procedure Sample size:	no:	
echnician:		Stamp:	<del>-</del> .				
est type: Magnet esults:	ic permeability	Test value: N/A Sample size:		Test method:	Butler procedure	no:	
		Stamp:					

Material, as tested, conforms to specification requirements. The information on this report represents only the material tested. This report shall not be reproduced except in full without the written approval of Butler Inc.

#### MANUFACTURERS OF AIRCRAFT FASTENERS AN-MS-NAS

### CALIFORNIA SCREW PRODUCTS CORP.

#### 14957 GWENCHRIS COURT

AN3C46A

### PARAMOUNT, CALIF. 90723-3423

CAGE NUMBER : 82507

Part Number :

Procurement Spec.

Customer

Airbus UK Approval No. AUK/SA/30144

: WESCO AIRCRAFT

Job Number

: 326327

2000

BAE/AG/30235 / MAA

TEST REPORT

Thread Spec

Part Standard: NASM3-20 REV. 2 Cust. Purchase Order Number: 1232043

Thread Size & Form : .190-32 UNF-3A

: MIL-S-7742 REV. D

Shipped Quantity\*: 2100 Mfg Quantity: Mat1 Spec: AMS 5628 REV. F

Item Description: Bolt

Heat Number: 568515

Heat Treat Spec Mgntc Permeability

Surface Finish Spec : AMS2700 REV. E : AMS2759/5 REV. D

: NASM6812 REV. 3

Sample Size Spec. : NASM6812 REV. 3

: N/A

\* Actual piece count is within +/- 2% of the shown lot quantity.

NON-DESTRUCTIVE TESTS / SUBCONTRACTED (SEE CERTIFICATION)

Sample Size : 0 specimens Inspection Results:

Reject : Accept : : N/A

0 specimens

: N/A Fluorescent Penet. Magnetic Particle

METALLURGICAL EXAMINATION RESULTS

Agcept :

Lab Mount No. Reject :

: 44473

GRAIN SIZE FILLET COLD WORKED : 7.0

Sample Size :

HEAD STRUCTURE : Accept : Accept

5 specimens

LAPS : Accept SEAMS

MICRO STRUCTURE CARBURIZED

Accept Accept

GRAIN FLOW HEAD

: Accept : Accept

DECARB GRAIN FLOW THREAD : Accept

5 specimens

CRACKS

: Accept : Accept

THREAD RUN OUT

Accept

MECHANICAL TESTS RESULTS

ULTIMATE TENSILE STRENGTH (lbs.) - Loc. of Failure: Threads

Sample Size :

Sample Size :

Accept :

Reject

Minimum Req.: Maximum Req.:

2210 0

N/A N/A 7. N/A 8. 3272 2. 3246 3. 3228 4. 3284 5. 3259 6. 9. 10. N/A 11. 12. N/A 13. N/A 14. N/A 15. N/A 16. N/A N/A N/A N/A 23. N/A 24. N/A 17. N/A 18. N/A 19. N/A 20. N/A 21. N/A 22. N/ 29. N/A 30. N/A 25. N/A 26. N/A 27. N/A 28. N/A 31. N/A 32.

SHEAR (lbs.) S/D : SINGLE

5 specimens - Accept : "5" TReject :

Minimum Req. :

2125

1	1.	2734 N/A	2. 10.	2687 N/A	3. 11.	2624 N/A	4. 12.	2649 N/A	5. 13.	2689 N/A	6. 14.	N/A N/A	7. 15.	N/A N/A	8. 16.	n/a N/a
1	17. 25.	n/A N/A	1	N/A N/A		N/A N/A		N/A N/A		N/A N/A	,	n/a n/a		N/A N/A	1	N/A N/A

HARDNESS TEST

Sample Size :

Hardness Req. RC : 26-32

: 28~29 Hardness Results

STRESS RUPTURE TEST

- N/A

Load (Lbs.)

0 ---

Periodic test, REF Job No.

Sample Size :

Hours

Temperature (F)

FATIGUE TEST

- N/A

Sample Size :

Cycles Low Load (1bs.) :

High Load (lbs.)

Min Req.

۵

TOROUE TEST

- N/A

Sample Size :

LOAD (Lbs.)

Load (Lbs/in)

0

STRESS DURABILITY TEST - N/A Sample Size : 0

STATEMENT OF CONFORMANCE: This report relates only to items inspected/tested. Deviations from standard test methods, if any, are noted, and results from subcontracted inspection or testing, if any, are identified. All items were manufactured in the USA under a quality management system, which complies with ISO 9001 and with AS 9100. CALIFORNIA SCREW PRODUCTS CORP, hereby states: That the above product is mercury free; that the above listed lot has been produced, sampled, tested, inspected and marked in accordance with all requirements and that the product complies with all specification and contract requirements; that evidence of which is in the files of of our company subject to examination. This report shall not be reproduced except in full unless authorized in fight by CALIFORNIA SCREW PRODUCTS CORPORATION.

MARIAELENA TORRES

Hours:

FINAL INSPECTOR (Name, Signature, Stamp and Date)

OCT 2 2 2013

Form QCSP019 Form Revision Date: 06/06/2007

BUTLER, INC. 1600 W. 166th STREET GARDENA, CA 90247

## **Packing List**

Customer No.: C.O.R.E

Ship To: CORE AVIATION SERVICES, INC. 16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Bill To: CORE AVIATION SERVICES, INC. 16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Date	Sh	ip Via	F.O.B.	Terms
03/26/13	UP	S COL	Origin	de de la companya de
Purchase Order	Number	Order Date	Sales Person	Our Order Number
STK1205	11	05/14/12		15492
Quantity eq Shipped B.	O. U/M	ltem Number	Description	
500 500	each	AN4C46A	LOT 15492	Serial Number



FAX (310) 324-0914



## ir inc.

1600 W. 166th STREET **GARDENA, CALIFORNIA 90247** (310) 323-3114 / FAX (310) 324-0914



CAGE # 59053

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85298

#### CERTIFICATE OF COMPLIANCE

BUYER ORDER NO.: STK120511

ITEM: 2

NSN #:

NA .

PART NUMBER: AN4C46A

REV: 2

DESCRIPTION: BOLT, HEX HEAD, .2500-28 x 4.781, 431, PASSIVATE

SPECIFICATIONS: NASM6812-2, ASTM A 493-09, AMS-H-6875B, AMS2700E

QUANTITY: 500

LOT #: 15492

HEAT #: G18835

BUTLER INC. HEREBY CERTIFIES THAT THIS LOT HAS BEEN PRODUCED, SAMPLED, INSPECTED, TESTED, MARKED AND PACKAGED IN ACCORDANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS. FURTHERMORE, BUTLER INC. CERTIFIES THAT DOCUMENTED EVIDENCE OF COMPLIANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS APPLICABLE TO THIS LOT IS ON FILE AT OUR PLANT IN THE FORM OF MECHANICAL, METALLURGICAL AND/OR CHEMICAL TEST REPORTS AND INSPECTION RECORDS, AND IS AVAILABLE FOR BUYERS REVIEW.

DATE OF EXECUTION:

03/26/13

SIGNATURE:

TITLE:

Q.A. MANAGER

Form #BIC015 Rev 11/97

3432235

Order No:

10:13:08

Time



### FRY STEEL COMPANY

Registered ISO 9001 13325 MOLETTE ST. SANTA FE SPRINGS, CA 90670 (562) 802-2721

B04163 Cust. NO.: 22883

P.O. NO.:

## CERTIFICATE OF COMPLIANCE

BUTLER INC 1600 W 166TH ST

\*\* MAIL OUT INVOICES \*\* GARDENA CA 90247-4704

ROOKE MFG

3360 W HARVARD ST

SANTA ANA CA 92704-3920

06/28/12

QTY	DESCRIPTION CG 431 ANN AMS 5628 GREEN/YELLOW	ITE	EM CO	DDE	HEAT NUMBER
26	BARS .510"RD	12'RL		4290	G18870
	ONE HEAT LOT				
100	BARS 1/4"RD	12'RL	:	4200	 G18835
	ONE HEAT LOT U	ISE HT# G18835	1		
59	BARS .265"RD	12'RL	٠.	4210	G18835
	ONE HT LOT				•

#### NOTICE

#### A COPY OF THE ORIGINAL MILL CERTIFICATION IS ATTACHED\*

CHEMICALS & PHYSICALS ARE REPORTED THAT WILL MEET THE SPECIFICATIONS SHOWN ON THE CERTIFICATE. EXCEPTIONS TO SPECIFICATIONS SHOULD BE SHOWN ON THE CERTIFICATION.

AUTOMATIC EXCEPTIONS TO THE SPECS LISTED ARE: LINE MARKING AND INSPECTION(I.E. MAG., SONIC, ETC.)

WE SUGGEST CONSULTING AN EXPERT ABOUT RELATED INSPECTION, PRIOR TO ALTERING THE MATERIAL FROM THE AS SHIPPED/RECEIVED CONDITION. "DEFECT FREE" MATERIAL CAN NOT BE GUARANTEED WITHOUT PRIOR INSPECTION APPROPRIATE TO APPLICATION.

NO WELD REPAIR HAS BEEN PERFORMED AND THIS MATERIAL IS FREE FROM MERCURY AND RADIUM CONTAMINATION AT TIME OF SHIPMENT

The willful recording of false, fictitious or fraudulent statements on this document may result as a felony under federal statutes. WHEN APPLICABLE

MAT'L USED FOR LOT #\_ 15492



### **Dunkirk Specialty Steel, LLC**

A Universal Stainless Company P.O. Box 319 830 Brigham Rd. Dunkirk, NY 14048

Quality System Registered to ISO9001 and AS9100

ILL ORDES: 004236 ART NUMBER: \$84200 O. MUMBER: 46809-25 F.O. DATE: 11/22/2011 PRINTED: 4/20/12 0  S FRY STEEL COMPANY S FRY STEEL COMPANY S FRY STEEL COMPANY O T FO. BOX 4048 N T C/O C.M.I. FREIGHT TRANS 1 0 4201 MEST 367H ST P CHICAGO, IL 60623  SANTA FE SPRINGS, CA 90670 FROM CITAGO, IL 60623  FROM CITAGO, IL 60623  SANTA FE SPRINGS, CA 90670 FROM CITAGO, IL 60623  FROM CITAGO, IL 606								M	ateria	l Ce	rtificatio	n	,					•
S FRY STEEL COMPANY S FRY S FRY STEEL COMPANY S FRY S TEEL S FRY S								·				-		P	AGE NUMB	ER:	1 of 1	
N									P.O. D	ATE:	11/22/201	11		P	rinted:		4/20/12	07
Column						?	······································		_			-				······································		
SANTA FS SPRINGS, CA 90670  SALCAGO, IL 60623  SALCAGO, AMS-9-10726, AMS 5-20726, AMS 5-20726, AMS 1-20726, AMS 1-20726	L		<b>P</b> . <b>Q</b> .	BUA	4046				1 0				1 TAMES	l				
TL-S-1873ZD, AMS-S-1873ZB, AMS 562EF, McDonnell Douglas DMS-1565G (except sonic), Hi Shear \$1150 (Type II, chemistr bity), Federal QQ-S-763C AB. 2 (431 cond. A, exc. hard. 6 impact), waive CLM, ASTM A276-10 (431).  1328: .2500 DIAM X 132.0000 MIN/			KTMAR	FE	SPRINGS,	CA 90	670			•	CHICAGO, IL	60623						
Reat Number  C 0.15 My 0.60 SI 0.35 S 0.004 P 0.020  G18835 PML W4 CR 16.12 W <0.05 Y 0.03 MI 2.19 MO 0.05  CO <0.05 CU 0.15 SN 0.010 PB GB G 0.02  TA AL <0.01 TI <0.01 FF G G 0.02  MG CA SE ZR  AG BI N 0.048 H CQ  AG BI N 0.048 H CQ  ENSILE CAPABILITY: 1875F/1HR/OQ-1175F/3HR/AC  T/S KSI Y/S KSI 18.4  152.4 114.7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ + 1-000F/2HR/AC+550F/2HR/AC  T/S KSI Y/S KSI Y/S KSI SEL SR/A  214.9 , 158.4 16.0 59.0  COMMINICLY RECORDING FALSE, FICTITIOUS ON FRAUDULENT SEATEMENTS  ENERITE: <44  CONTROL OF THE OPIGINAL LAW, TITLE 18, CHAPTER 47.  ACCOUNTS INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.  ACCOUNTS INCLUDED IN THE USA BY UNIVERSAL STAINLESS 6 ALLOY PRODUCTS, BRIDGEVILLE, PA  CHIP SANDOVAL- QC, MANAGER	IL-S	-1873	32D, 1	MS-S	-1873 <b>2B</b> ,	AMS .	5628F, McD	onnell	Douglas	DMS-	-1565G (exc	ept son	ic), H	i Shear	#115J (T			str
G18855 FML WA CR 16.12 W < 0.05	iize:	. 250	O DIA	мх	132.0000	MIN/		15	6.0000 h	OAX.	RANDOM LEN	NGTH			,			
CO <0.05 CU 0.15 SN 0.010 PB CB 0.02  TA AL <0.01 FI <0.01 PF B O NG CA O NG CA BI N 0.048 B CQ  AG BI N 0.048 B CQ  AG BI N 0.048 B CQ  T/S RSI 1/S RSI Y/S RSI Y/S RSI Y/S RSI 192.4 114.7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ+1175F/3HR/AC T/S RSI Y/S RS					121	-											<del></del>	
DATE: TO SUBJECT OF THE ORIGINAL MILL TEST  AG BI N 0.048 H CQ  DATE: TO SUBJECT OF THE ORIGINAL MILL TEST  AG BI N 0.048 H CQ  DATE: TO SUBJECT OF THE ORIGINAL MILL TEST  AND MADENABILITY: 1875F/1HR/OQ+1175F/3HR/AC  1/8 KSI Y/S KSI SEL SR/A  214.9 , 158.4 16.0 59.0  AND MADENABILITY: RC 49.0  LORO TEST: ACCEPTABLE  MORE STCH TEST: ACCEPTABLE  MORNINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS  ENTRIES ON THIS DOCUMENT MAY BE PUNTISHED AS A FELONY UNDER  DERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.  AFRY STEEL CO. CERTIFIES THAT THIS IS  A TRUE COPY OF THE ORIGINAL MILL TEST  REPORT NOW ON FILE  RECEIVED AND INSPECTED  MAY 0 3 2012  MAT'L USED  MAT'L USED  OTHER SANDOVAL - Q.C. MANAGER	4100	23	•	RL	**	co		cu (	0.15	s	N 0.010	PB	2.19	CB				
ARDNESS (AS SHIPPED): 247 BHN  ENSILE CAPABILITY: 1875F/1HR/OQ+1175F/3HR/AC  T/8 KSI Y/S KSI 4EL  152: 4 114:7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ+1-100F/2HR/AC+550F/2HR/AC +550F/2HR/AC  T/S KSI Y/S KSI 4EL 3R/A  214.9 , 158.4 16.0 59.0  ARDENABILITY: Rc 49.0  LONG TEST: ACCEPTABLE  ARAN SIZE: 8  ERRITE: <48  CONTINUELY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS  ENTRIES ON THIS DOCUMENT HAN BE PUNISHED AS A FELIONY UNDER  DERAL STATUTES INCLUDING FEDERAL LAW, TITLE 19, CHAPTER 47.  TESTICAL BALANCE IS F0  BETAIL MAINTACTURED IN THE USA  MAT'L USED  FRY STEEL CO. CERTIFIES THAT THIS IS  A TRUE COPY OF THE ORIGINAL MILL TEST  REPORT NOW ON FILE  RECEIVED AND INSPECTED  BY  CHIP SANDOVAL -Q.C. MANAGER  CHIP SANDOVAL -Q.C. MANAGER		•							0,01									
TASSILE CAPABILITY: 1875F/1HR/OQ+1175F/3HR/AC  T/S RSI 152.4 114.7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ+ -100F/2HR/AC+550F/2HR/AC  T/S RSI 152.4 114.7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ+ -100F/2HR/AC+550F/2HR/AC  T/S RSI 1/S R								_										
TASSILE CAPABILITY: 1875F/1HR/OQ+1175F/3HR/AC  T/S RSI 152.4 114.7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ+ -100F/2HR/AC+550F/2HR/AC  T/S RSI 152.4 114.7 18.9  ENSILE CAPABILITY: 1875F/1HR/OQ+ -100F/2HR/AC+550F/2HR/AC  T/S RSI 1/S R						•												
ENSILE CAPABILITY: 1875F/1HR/QQ + -100F/2HR/AC+550F/2HR/AC + 550F/2HR/AC  T/S RSI Y/S RSI 4EL 3R/A  214.9 , 158.4 16.0 59.0  ARDENABILITY: RC 49.0  ICRO TEST: ACCEPTABLE  WARDENABILITY: RC 49.0  ICRO TEST: ACCEPTABLE  ICRO TEST: AR/A  ICRO TES	ensil	E CAI	ABILI	TY:	1875F	"/îrr/(	T/S KS						1	REVIE	WFD B	BY:	JB A 5	).
T/S RSI 1/S RSI 1/S RSI 1/S RSI 1/S RZ/A 16.0 59.0  ARDENABILITY: RC 49.0  CRO ETEST: ACCEPTABLE  CRO ETCH TEST: ACCEPTABLE  AIN SIZE: 8  RRITE: <44  GWETIC PARTICLE F/S = 0/0  OWINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS  ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER  DERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.  TOURCE: UNIVERSAL/DUNKIRK  DEICAL BALANCE IS FE  TERIAL MELITED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, FA  TERIAL MANUFACTURED IN THE USA  MAT'L USED  TOUR TEST: ACCEPTABLE  ACCEPTABLE  FRY STEEL CO. CERTIFIES THAT THIS IS  A TRUE COPY OF THE ORIGINAL MILL TEST  REPORT NOW ON FILE  RECEIVED AND INSPECTED  MAY () 3 2012  CHIP SANDOVAL - Q.C. MANAGER	ENSIL	E CAP	ARTT.T	TY:	1875F	/1 HDR / O	O + -100F/	2HR/AC+	.550F/2HI	R/AC	+ 550F/2KR	/AC			DAT	E: -	1-6-	12
ARDENABILITY: RC 49.0  ICRO TEST: ACCEPTABLE  ACRO STCH TEST: ACCEPTABLE  RAIN SIZE: 8  RRAITS: <44  ROWNINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS  CENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER  DERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.  FRY STEEL CO. CERTIFIES THAT THIS IS  A TRUE COPY OF THE ORIGINAL MILL TEST  REPORT NOW ON FILE  RECEIVED AND INSPECTED  THE SOURCE: UNIVERSAL/DUNKIRK  DELICAL BALANCE IS FO  TERIAL MELTED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, PA  TERIAL MANUFACTURED IN THE USA  MAT'L USED  TO A TRUE COPY OF THE ORIGINAL MILL TEST  REPORT NOW ON FILE  RECEIVED AND INSPECT CD  CHIP SANDOVAL - Q.C. MANAGER		o wa	/W-W-	•••	10,01,	1111/	T/S KS		Y/S K		*EL	: SR/A			,			
ECRO TEST: ACCEPTABLE  ACRO ETCH TEST: ACCEPTABLE  RAIN SIZE: 8  ERRITE: <44  LONGINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS  ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER  DERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.  TOURCE: UNIVERSAL/DUNKIRK  DEFICAL BALANCE IS FO  TERIAL MANUFACTURED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, FA  MAT'L USED  FRY STEEL CO. CERTIFIES THAT THIS IS  A TRUE COPY OF THE ORIGINAL MILL TEST  REPORT NOW ON FILE  RECEIVED AND INSPECTED  WAY 0.3 2012  CHIP SANDOVAL - Q.C. MANAGER							214.9	•	, 158.4		10.0	J9.U						
PAIN SIZE: 8  ERRITE: <48  GENETIC PARTICLE F/S = 0/0  ROWINGLY RECORDING FALSE, FICTITIOUS OR FRAUDULENT STATEMENTS A ENTRIES ON THIS DOCUMENT MAY BE PUNISHED AS A FELONY UNDER DERAL STATUTES INCLUDING FEDERAL LAW, TITLE 18, CHAPTER 47.  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  MAY 0 3 2012  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  MAY 0 3 2012  CHIP SANDOVAL - Q.C. MANAGER	ICRO :	EST:	ACCE	PTABI	LE							•	٠					
MAT'L USED  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  MAY () 3 2012  CHIP SANDOVAL - Q.C. MANAGER	RAIN E	IZE:	- war	<b>NL</b> UZ	FEARING	•												
FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  TOURCE: UNIVERSAL/DUNKIRK  EMICAL BALANCE IS FO  TERIAL MANUFACTURED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, FA  MAT'L USED  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  FRY STEEL CO. CERTIFIES THAT THIS IS A TRUE COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  TESTAL MAINTACTURED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, FA  TERIAL MANUFACTURED IN THE USA  TOUR COPY OF THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED  THE ORIGINAL MILL TEST REPORT NOW ON FILE RECEIVED AND INSPECTED AN				F/	's = 0	/0												
HAT'L USED  LT SOURCE: UNIVERSAL/DUNKIRK  EMICAL BALANCE IS FO  TERIAL MELITED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, FA  TERIAL MANUFACTURED IN THE USA  BY  CHIP SANDOVAL - Q.C. MANAGER	ENTR	IES C	M THI	8 DO	CUMENT M	DL PE	PUNISHED .	as a fe	LONY UND	ER		FR A TR	IUE CO F	PY OF THE REPORT	HE ORIGI NOW ON	NAL N FILE	fill tes	τ
EMICAL BALANCE IS FO  TERIAL MELITED IN THE USA BY UNIVERSAL STAINLESS & ALLOY PRODUCTS, BRIDGEVILLE, FA  TERIAL MANUFACTURED IN THE USA  MAT'L USED  WE'V US 2012  CHIP SANDOVAL - Q.C. MANAGER				1 <b>769</b> 73.81	PDGAT /DIT	MYTOY							MUL		_		כ	
MAT'L USED  BY CHIP SANDOVAL - Q.C. MANAGER	DICK	BAL.	ANCE	IS F	•				AV D	n oo t	ome barner		-	MAY	0.3 201	2		
MAT'L USED  BY CHIP SANDOVAL - Q.C. MANAGER							NOME SINE	177522 #	MIMO! P	NODO:	CIO, BRIDGE	YILLE,	FA		11	1		
MAT'L USED CHIP SANDOVAL - Q.C. MANAGER												אם		CH	Notos	¥ .		
FOR LOT # 15492	i	MAT	"L U	SED	)								CHIP SA	NDOVAL -	Q.C. MAN	AGER		
	į	FOR	LO	Γ#	15	-49	2											

/S/John M. Berry

Prepared by: John M. Berry, QA

/S/John M. Berry

John M. Berry, QA Technician Date

04/20/12

Meteod and manufactured in compliance with DFARS 252.225-7014 ALT 1. Pleased by USAP 8 Bridgeville, PA., USA. Certification IAW DIN 50 D49 / EN 10204 3.1 Material complies with EU directive 2002/95/EC (RoHS), The test results shown are certified to be a correct statement of records that were derived from testing samples of the material. Results meet applicable specifications. No welding was performed on the material supplied on this order. Material is free from mercury contamination. Material is of NAFTA origin. This material was produced uncer the Dunkirk Specialty Steel Quality Hangement System documented in QP Manual, Rev. 6 deted 1/6/2012, conforming to NCA-3800. Naterial testing was performed as applicable in accordance with ASTM A370, A604, E8, E10, E18, E23, E112, E139, E381, E572, E1019, STP-CHEM-GDS, E1444, & AMS 2315. The recording of false, Rictious, or fraudulent statements on this document may be purished as a felony under federal



10643 S. NORWALK BL. SANTA FE SPRINGS CALIFORNIA 90670 562-944-8808 800-622-6624 FAX 562-944-1499

## **CERTIFICATION**

CERTIFICATION NUMBE

www.continentalht.com BUTLER INC BUTLER INC 1600 W 166TH STREET 1600 W 165TH STREET GARDENA. CA 90247-4704 GARDENA, CA 90247-4704 CUSTOMER NUMBER DATE RECEIVED CUSTOMER P.O. NUMBER CUSTOMER SHIPPER 0047500 QUANTITY 09/04/12 23852 WEIGHT PART NUMBER / DESCRIPTION 1442 104 AN4C4GA REV. 2 LOT# 15492 3 PANS HT# G18835 END USER: C.O.R.E 125-145 KSI PER P.O. MATERIAL HARDNESS MAX-CROSS SECTION CASE DEPTH CORE HARDNESS

AMS 2759/5 D AMS-H-6875 B

	and the second s								· ·
PROCESS SPEC	C TEMP SPEC TIME	EQUIP.	ACT TEMP	TIME IN	TIME AT-HEAT	TIME OUT	ATMOS	Q-MED	DATE
RACK		RACK		. 75	Y		DEWPT	& TEMP	09/15
LOADCOUPLE		WIRE		. Ø8	Y				09/15
SET V P		ATMOS	2	.01	Y		* *		09/15
PREHEAT 140	0 :30	V5	1400	19:22	21:50	22:20	VAC	RAISE	09/15
AUSTENITIE 187	5 1:00	V5	1875	22:20	23:18	00:18	VAC	OIL	09/15
SUBZERO -10	0 2:00	CB1	-100	02:04	02:10	04:10	NIT	A/W	09/16
ENAPTEMPER 40	0 1:30	D7	400	04:16	04:40	06:10	AIR	A/C	09/16
TEMPER 15 112	5 4:00	D1	1125	13:50	14:20	18:20	AIR	A/C	09/17
TEST RESULTS: 3	1 HRC		LAB	1:427/0791	1 TEST	1 ACCT:	1442	REJT:0	
TEMPER 15 112	5 4:00	D1	1125	19:10	19:30	23:30	AIR	A/C	09/17
GLASS BEAD		86		1.00	Y				09/19

REVIEWED BY:\_

DATE: 9-24-12

HARDNESS: 29-30 HRC DTY TESTED: 15 DTY ACCT: 1442 GTY REJT: 0

INSPECTOR
DANNY BLLEWORTH

**SPECIFICATIONS** 

DATE

09/20/12

JIMMY MARTINEZ for DOM

QUALITY MANAGER



#### HADD-CO INSPECTION LAB

2420 Amsler Street, Torrance, CA 90505

Toll Free: (888) 339-8472 Phone: (310) 325-7620 Fax: (310) 325-9655

www.haddco.com Email: NDT@haddco.com

NO. 14320

Sold To:

BUTLER, INC. 1600 W. 166TH ST. GARDENA, CA 90249 P.O. Number:

24043

Job/Lot #:

15492

Completion Date:

10/30/12

### CERTIFICATION

201	PART NUMBER	1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DESCRIPTION	
52	AN4C46A REV. 2	MPI PER ASTM-E-1444M-11	and the state of t	· • • • • • • • • • • • • • • • • • • •
	•	NASM6812-2		
		MATL: 431		
		NOT PLATED		
		HEAT #G18835		
į.		*CRY * - C.T.		
		224		
t .				
		NO REJECTS		
		The state of the s		
:	·	The state of the s		. "4
:		entra de la companya	ID	
and the s		F	REVIEWED BY:(JB)	

DATE: 10-31-12

This is to certify that 100% of the parts under subject purchase order have been inspected by Magnetic Particle Inspection in accordance with all applicable and/or purchase order requirements.

Inspector:

TOMMIE LLANES LEVEL II

NOTE: Altering of this certification renders it void.



Element Materials Technology 19062 Bossa Chica Huntington Beach, CA

p 71.1892 1961 F 714 892 8159 T 888 786 7555 info.hb/@ielement.com

92649-1023 USA

element.com

Contact: Tod Polidori

Butler, Inc.

1600 West 166th Street GARDENA, CA 90247

#### TEST CERTIFICATE --- EAR-CONTROLLED DATA

11/1/2012

Purchase Order Number:

24041

Work Order Number

BUT004-10-30-00808-1

Deat No.	AN4C46A REV. 2	
Part No.:	AN4C46A REV. Z	
Lot No.:	15492	
Heat No.:	G18835	
Material:	431	
Specification:	NASM6812-2	

#### FASTENER EVALUATION - STAINLESS STEEL

Number of Pieces:

Etchant:

Micro:

Temperature:

Magnification: Macro:

Temperature: Magnification:

Grain Flow:

Head:

Head to Shank Fillet:

Threads:

Cracks: Discontinuities / Defects:

Head:

Threads:

Crest Laps:

Flank Laps:

Root Laps: Grain Growth:

Grain Size:

Surface Condition on Head: Surface Condition on Threads:

Microstructure:

Surface Hardening:

Vilella's

Ambient 100X/200X Vilella's

Ambient 20X

Grain flow follows the contour of the head. (Acceptable)

Grain flow follows the contour of the head to shank fillet. (Acceptable)

Grain flow follows the contour of the threads. (Acceptable) The entire sample shows no evidence of cracks.

No discontinuities / defects found.

0.0015" (Within limits)

No discontinuities / defects found.

No discontinuities / defects found.

None

ASTM 7.0

No surface contamination (IGA) found.

No surface contamination (IGA) found. Exhibits fine tempered martensite with no visible carbide precipitation in the grain

None except as created in cold working rolling of threads.

#### MATERIAL CONFORMS TO SPECIFICATION

This document contains technical data whose export and re-export/ retransfer is subject to control by the U.S. Department of Commerce under the Export Administration Act and the Export Administration Regulations. The Department of Commerce's prior written approval may be required for the export or reexport/retransfer of such technical data to any foreign person, foreign entity or foreign organization whether in the United States or abroad.

REVIEWED BY:

Respectfully submitted

15062 Bolsa Chica, Huntington Beach, CA 92649 (714) 892-1961 ph • (714) 892-8159 fax www.element.com

Senior Quality Administrator

The information contained in this certification represents only the material submitted and is certified only for the quantities tested. Reproduction except in full is reserved pending written approval. The recording of false, fictitious, or fraudulent statements or entries on the certificate may be punishable as a felony under federal law. All testing was performed in a mercury free environment. All testing performed in accordance with the latest edition of the applicable ASTM, or other Federal Test Method in effect at the time of test.

### Allblack Company,LLC

13090 Park St.
Santa Fe Springs, CA 90670
Phone: (562) 946-2955
Fax: (562) 946-6665

#### Certificate of Conformance

To: Butler Inc.

1600 West 166th Street Gardena, CA 90247 United States From: Aliblack Company, LLC

13090 Park St.

Santa Fe Springs, CA 90670

Packing List No: 325154

Shipping Date: 11/01/12

Today's Date: 11/01/12

PO Number: 23665

#### MERCURY FREE PROCESS

Quantity Shipped	<u>Unit</u>	<u>Description</u>	Job Number
1	LOT	PASSIVATE PER AMS2700E 1290PCS. OF P/N AN4C46A REV 2 LOT#15492 HT#G18835 MATL:431, 90# 3PNS.	439706
1	FA	FUEL FEE	439707

GENTLEMEN: This is to certify that the following articles have been processed and/or inspected as indicated above in accordance with military standards and specifications. If testing is not noted then no testing was performed. If a specification is not called out on the purchase order, then the process was performed per best commercial practice.

REVIEWED BY: (48)
DATE: 11/1/12

KU

Inspector's Initials



# 

1600 W. 166th STREET GARDENA, CALIFORNIA 90247 (310) 323-3114 / FAX (310) 324-0914



#### **CERTIFED TEST REPORT**

CAGE CODE: 59053

PART NO: AN4C46A REV: 2

LOT NO: 15492

HEAT NO: G18835

MAT'L: 431

PROCUREMENT SPEC: NASM6812 REV: 2

LOT SIZE: 1204

TEST DATE: 11/01/12

**CERTIFICATION NO: 4605** 

Test type: Rockwell ha	rdness	Test value: N/A		Test method:	Butler procedure no:		
l. 5.		9.	13.	17.	21.	25.	29
2. 6.		10.	14.	18.	22.	26	30.
3. 7.		11.	15.	19.	23.	27.	31.
4. 8.		12.	16.	20.	24.	28.	32.
Technician:	<u> </u>	Stamp:					
Test type: Axial tensile Results:		Test value: 4080 lbs	min	Test method: NASM1312-8	Butler procedure no:	BIQOP-5-8-4	
	6189 lbs	9. ·	13.	17.	21.	25.	29
2. 6234 lbs 6.		10.	14.	18.	22.	26.	30.
3. 6211 lbs 7.		11.	15.	19.	23.	27.	31.
4. 6219 lbs 8.		12.	16.	20.	24.	28.	32.
Technician: Flavio Ron  Test type: Double shear		Stamp:	min	Test method: NASM1312-13	Butler procedure no:	BIQOP-5-8-5	
Results:	000/11						
		9.	13.	17.	21.	25.	29
2. 8835 lbs 6.		0.	14.	18.	22.	26.	30.
3. 8711 ibs 7. 4. 8761 lbs 8.		1. 2.	15. 16.	19. 20.	23. 24.	27. 28.	31. 32.
Technician: + F. Flavio Ron	<u> </u>	Stamp: (Åe)					
Test type: Recess torque Deformation allowable: Results:		est value: N/A		Test method: Removal:	Butler procedure no: Sample size:		
Technician:	S	tamp:					
l'est type: Magnetic per Results:		est value: N/A ample size:		Test method:	Butler procedure no:		
echnician:	e	tamn:	•				
Fechnician:	S	tamp:					

Material, as tested, conforms to specification requirements. The information on this report represents only the material tested. This report shall not be reproduced except in full without the written approval of Butler Inc.



2655 Harrison Ave. SW Canton, Ohio 44706-3047

Phone: 330-430-6190 Fax: 330-430-6199

## **CERTIFICATE OF CONFORMANCE**

## **C.O.R.E. AVIATION SERVICES**

I hereby certify that on 03/16/15 Airfasco Industries provided the supplies called for by Contract/PO Number STK150313-1 in accordance with all applicable requirements for shipment. I further state/ that the process certifications are in conformance with the contract requirements, including specifications and/or drawings, physical item identification (part number) and the quantity shown on this or attached acceptance document. The part numbers certified below have been manufactured in the United States.

Quality Assurance Representative

WM. DENT

PART NUMBER	LOT NUMBER	QUANTITY	PART NUMBER	LOT NUMBER	QUANTITY
AN4C46A	15603	249			
			77-77		
			***************************************		

## MANUFACTURERS OF AIRCRAFT FASTENERS ANIMS-NAS

#### CALIFORNIA SCREW PRODUCTS CORP. PARAMOUNT, CALIF. 90723-3423 14957 GWENCHRIS COURT-: 327056 Joh Number BAE/AG/30235 / MAA CAGE NUMBER : 8Z507 Atrous UK Approvel No. AUK/SA/30144 TEST REPORT Shipped Quantity\*: 1000 Part Standard : NASM3-20 REV. 2 Mfg Quantity: AN6C44A Cust. Purchase Order Number : P56327 Part Number Matl Spec: AMS 5628 REV. F : FASTENER DIMENSIONS, INC. Thread Size & Form : .375-24 UNF-3A Customer Item Description: Bolt : NASM6812 REV. 3 Produrement Spec. : MIL-S-7742 REV. D Thread Spec Surface Finish Spec : AMS2700 REV. E Heat Number: 258782 Sample Size Spec. : NASM6812 REV. 3 \* Actual piece count is within ÷/- 2% of the shown lot quantity. : AMS2759/5 REV. D Heat Treat Spec Mgmtc Permeability : N/A NON-DESTRUCTIVE TESTS / SUBCONTRACTED (SEE CERTIFICATION) 0 specimens Reject : Accept : Inspection Results: : N/A 32 specimens Fluorescent Penet. Rample Size : : ASTM E1444M-12 Magnetic Particle METALLURGICAL EXAMINATION RESULTS : 44942 Lab Mount No. Reject : 0 Accept : 5 5 specimens Accept Sample Size : MICRO STRUCTURE · Accept LAPS HEAD STRUCTURE : Accept Accept CARBURIZED . 8.0 : Accept GRAIN SIZE SHAMS : Accept DECARE Accept THREAD RUN OUT FILLET COLD WORKED · Accept : Accept CRACKS GRAIN FLOW THREAD : Accept : Accept GRAIN FLOW HEAD MECHANICAL TESTS RESULTS 10100 Minimum Red.: ULTIMATE TENSILE STRENGTE (lbs.) \_ Loc. of Failure: Threads 0 Maximum Req.: Reject Accept : Sample Size : 5 specimens NI/A N/A 8. N/A 7. ó. 13763 13762 5 13753 4 N/A 16. N/A 3 N/A 15. -13742 - 13998 2 N/A 14. 1. N/A 13. N/A 12. N/A 11. N/A 10. 9.. N/A N/A 24. N/A 23. N/A 22. N/A|21. N/A 20. N/A N/A 19 N/A 32. N/A 31. N/A 18-17. 130. N/A 29. N/A N/A 28. N/A 27 N/A 26. 25.. 8280 Minimum Req.: Reject : Accept 5 specimens Sample Size : SHEAR (los.) S/D : SINGLE N/A 8. N/A 7 M/A 6. 5. 9199 9280 9114 N/A 3. N/A 16. 2 N/A 15. 9258 A . . N/A 14. N/A | 12.. N/A 13. N/A 11. N/A 10. 9 .. N/A N/A 24. N/A 23. N/A 22. N/A 21. N/A 20. N/A N/A 19 N/A 32. N/A 18. N/A 31. 17. N/A 30. N/A 29. N/A 28. N/A 27. N/A 26. 25. : 27-29 Hardness Results Hardness Req. RC : 26-32 Sample Size : 13 HARDNESS TEST Periodic test, REF Job No. Temperature (F) 0 Load (Lbs.) STRESS RUPTURE TEST \_ N/A Hours Sample Size : 0 Min Red. Cycles FATIGUE TEST High Load (lbs.) Low Load (lbs.) : DFAR 252.225.7009 Sample Size : COMPLIANCE Load (Los/in) Sample Size : Ω \_ N/A TORQUE TEST LOAD (Lbs.) STRESS DURABILITY TEST = N/A Sample Size $\pm$ 0 This report relates only to items inspected/tested. Deviations from standard test methods, if any, are noted, and results from subcontracted inspection or testing, if any, are identified. All items were manufactured in the USA under a quality management system, which complies with ISO-9001 and with As 9100. CALIFORNIA SCREW PRODUCTS CORP, hereby states: That the above product is mercury free; that the above listed lot has been produced, sampled, tested, inspected and marked in accordance with all requirements and that the product complies with all specification and contract requirements; that evidence of which is in the files of unless authorized in writing by of our company subject to examination. This report shall not be reproduced except in fulf MARIAELENA

TORRES

CALIFORNIA SCREW PRODUCTS CORPORATION.

(Name, Signature, Stamp and Date)

0 7

FINAL INSPECTOR

2014

BUTLER, INC. 1600 W. 166th STREET

GARDENA, CA-90247


Packing List

Customer No.: C.O.R.E

Ship To: CORE AVIATION SERVICES, INC. 16305 E. TWIN ACRES DR. GILBERT, AZ 85298

Bill To: CORE AVIATION SERVICES, INC. 16305 E. TWIN ACRES DR. GILBERT, AZ 85298

			1.5		
Date :	, Sh	ip Via	F	).B,	Terms
04/10/15	UPS PPD & ADD		O	igin	
Purchase Orde	Purchase Order Number			Sales Person	Our Order Number
STK150410		04/10/15			17710
Quantity  Req   Shipped   B.O.   U/M		ltem Number		Description	Serial Number
40 40	each	AN8C21A		LOT 15494	



(310) 323-3114

FAX (310) 324-0914



AS9100 Aerospace

# ER INC.

1600 W. 166th STREET **GARDENA, CALIFORNIA 90247** (310) 323-3114 / FAX (310) 324-0914



CAGE # 59053

C.O.R.E. AVIATION SERVICES 16305 E. TWIN ACRES DRIVE GILBERT, AZ 85298

#### CERTIFICATE OF COMPLIANCE

BUYER ORDER NO.: 27791-5

ITEM: 1

NSN#:

NA

PART NUMBER: AN8C21A

REV: 2

DESCRIPTION: BOLT, HEX HEAD, .5000-20 x 2.219, 431, PASSIVATE

SPECIFICATIONS: NASM6812-3, ASTM A 493-09, AMS-H-6875B, AMS2700E

QUANTITY: 40

LOT #: 15494

HEAT #: G18870

BUTLER INC. HEREBY CERTIFIES THAT THIS LOT HAS BEEN PRODUCED, SAMPLED, INSPECTED, TESTED, MARKED AND PACKAGED IN ACCORDANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS. FURTHERMORE, BUTLER INC. CERTIFIES THAT DOCUMENTED EVIDENCE OF COMPLIANCE WITH ALL CONTRACT, DRAWING AND SPECIFICATION REQUIREMENTS APPLICABLE TO THIS LOT IS ON FILE AT OUR PLANT IN THE FORM OF MECHANICAL, METALLURGICAL AND/OR CHEMICAL TEST REPORTS AND INSPECTION RECORDS, AND IS AVAILABLE FOR BUYERS REVIEW.

DATE OF EXECUTION:

04/10/15

SIGNATURE:

TITLE:

Q.A. MANAGER

Form #BIC015 Rev 11/97

MAC FASTENERS, INC. 1110 ENTERPRISE OTTAWA, KANSAS 66067

## CERTIFICATE OF CONFORMANCE AND MANUFACTURER'S AFFIDAVIT

CUSTOMER:

FASTENER DIMENSIONS

DATE:

03/28/06

PO NUMBER:

31396

PART NUMBER:

AN8C21A

**REVISION: 1** 

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

LOT NUMBER:

29420

MANUFACTURED QUANTITY:

1,012

MILL HEAT NUMBER:

545660

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS, INC. within the United States, and were processed in conformance with all applicable drawings and specifications.

Objective evidence of compliance is on file, subject to examination upon request.

QUALITY ASSURANCE REPRESENTATIVE